

8/29/2018

Denali Water
Cindy Duenes
2001 Key Street
Colton, CA, 92324

Ref: Analytical Testing
Report Number: 18-233-0201
Project Description: MBC

Dear Cindy Duenes:

Waypoint Analytical Virginia, Inc. received sample(s) on 8/21/2018 for the analyses presented in the following report.

The above referenced project has been analyzed per your instructions. The analyses were performed in accordance with the applicable analytical method. Sub-contracted testing is noted on the Sample Summary Table if applicable.


The analytical data has been validated using standard quality control measures performed as required by the analytical method. Quality Assurance, method validations, instrumentation maintenance and calibration for all parameters (NELAP and non-NELAP) were performed in accordance with guidelines established by the USEPA (including 40 CFR 136 Method Update Rule May 2012) and NELAC unless otherwise indicated.

Certain parameters (chlorine, pH, dissolved oxygen, sulfite...) are required to be analyzed within 15 minutes of sampling. Usually, but not always, any field parameter analyzed at the laboratory is outside of this holding time. Refer to sample analysis time for confirmation of holding time compliance.

The results are shown on the attached Report of Analysis(s). Results for solid matrices are reported on an as-received basis unless otherwise indicated. This report shall not be reproduced except in full and relates only to the samples included in this report.

Please do not hesitate to contact me or client services if you have any questions or need additional information.

Sincerely,



Pauric McGroary
Agronomist

Laboratory's liability in any claim relating to analyses performed shall be limited to, at laboratory's option, repeating the analysis in question at laboratory's expense, or the refund of the charges paid for performance of said analysis.

Arizona AZ0629
Florida E871087

New Jersey
North Carolina

VA011
257

Pennsylvania
South Carolina

68-03109
93007

Virginia 460014





Sample Summary Table

Report Number: 18-233-0201

Client Project Description: MBC

Lab No	Client Sample ID	Matrix	Date Collected	Date Received	Method	Lab ID
62358	MBC	Solids	08/16/2018 12:00	08/21/2018		
62358	MBC	Solids	08/16/2018 12:00	08/21/2018	SM-4500-NH3C	WTN
62358	MBC	Solids	08/16/2018 12:00	08/21/2018	9045D	WTN
62358	MBC	Solids	08/16/2018 12:00	08/21/2018	4500NO3F-2011	WTN
62358	MBC	Solids	08/16/2018 12:00	08/21/2018	6010D	WTN
62358	MBC	Solids	08/16/2018 12:00	08/21/2018	SW-7471B	WTN
62358	MBC	Solids	08/16/2018 12:00	08/21/2018	SM-4500-NH3C-TKN	WTN
62358	MBC	Solids	08/16/2018 12:00	08/21/2018	SM-2540G	WTN

WTN: Waypoint Analytical - TN, Memphis, TN, Certification: #1354

Report Number: 18-233-0201

Account Number: 11035



7621 Whitepine Road, Richmond, VA 23237
Main 804-743-9401 ° Fax 804-271-6446
www.waypointanalytical.com

Send To: Denali Water
Cindy Duenes
2001 Key Street
Colton , CA 92324

Project : MBC

Lab Number : 62358

Sample Id : MBC

REPORT OF ANALYSIS

Date Sampled: 8/16/2018 12:00:00

Date Received: 08/21/2018 00:00

Date Reported: 09/20/2018

PARAMETER	RESULT (%)	RESULT (mg/kg)	QUANTITATION LIMIT (mg/kg*)	ANALYST	ANALYSIS DATE/TIME	METHOD
Total Solids *	27.10	271000	1000	CJH	08/22/2018 15:59	SM-2540G
Moisture *	72.90		1000	CJH	08/22/2018 15:59	SM-2540G
Total Kjeldahl Nitrogen	5.65	56500	120	CLP	08/27/2018 12:40	SM-4500-NH3C-TKN
Phosphorus	1.99	19900	50.0	JTR	08/25/2018 03:46	6010D
Potassium	0.08	830	50.0	JTR	08/25/2018 03:46	6010D
Sulfur	5.13	51300	50.0	JTR	08/25/2018 03:46	6010D
Calcium	2.67	26700	100	BKN	08/27/2018 13:46	6010D
Magnesium	0.33	3340	50.0	JTR	08/25/2018 03:46	6010D
Sodium	0.17	1660	250	JTR	08/25/2018 03:46	6010D
Iron		97100	50.0	JTR	08/25/2018 03:46	6010D
Aluminum		3370	50.0	JTR	08/25/2018 03:46	6010D
Manganese		427	5.00	JTR	08/25/2018 03:46	6010D
Copper		717	2.50	JTR	08/25/2018 03:46	6010D
Zinc		1070	5.00	JTR	08/25/2018 03:46	6010D
Ammonia Nitrogen	1.13	11300	50.0	ZBD	08/24/2018 08:00	SM-4500-NH3C
Organic N	4.52	45200	120		08/24/2018 08:00	CALCULATION
Nitrate+Nitrite-N		<4.21	4.21	ZBD	08/24/2018 13:47	4500NO3F-2011

All values are on a dry weight basis except as noted by asterisk. Detection limit on all N series is on a wet basis.

A handwritten signature in black ink that reads "Paucic McGroary".

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

Paucic McGroary
Agronomist

Report Number: 18-233-0201

Account Number: 11035



7621 Whitepine Road, Richmond, VA 23237
Main 804-743-9401 ° Fax 804-271-6446
www.waypointanalytical.com

Send To: Denali Water
Cindy Duenes
2001 Key Street
Colton , CA 92324

Project : MBC

Lab Number : 62358

Sample Id : MBC

REPORT OF ANALYSIS

Date Sampled: 8/16/2018 12:00:00

Date Received: 08/21/2018 00:00

Date Reported: 09/20/2018

PARAMETER	RESULT (%)	RESULT (mg/kg)	QUANTITATION LIMIT (mg/kg*)	ANALYST	ANALYSIS DATE/TIME	METHOD
Cadmium		1.78	1.00	JTR	08/25/2018 03:46	6010D
Chromium		59.8	2.50	JTR	08/25/2018 03:46	6010D
Nickel		33.1	2.50	JTR	08/25/2018 03:46	6010D
Lead		11.8	3.00	JTR	08/25/2018 03:46	6010D
Arsenic		5.03	5.00	JTR	08/25/2018 03:46	6010D
Mercury		0.709	0.0156	KKM	08/24/2018 16:57	SW-7471B
Selenium		7.00	5.00	JTR	08/25/2018 03:46	6010D
pH *	7.9			RMW	09/20/2018 13:42	9045D
Molybdenum		26.1	2.50	JTR	08/25/2018 03:46	6010D

Comments:

All values are on a dry weight basis except as noted by asterisk. Detection limit on all N series is on a wet basis.

A handwritten signature in black ink that reads "Paucic McGroary".

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

Paucic McGroary
Agronomist

Cooler Receipt Form

Customer Number: **11035**
Customer Name: **Denali Water**
Report Number: **18-233-0201**

Shipping Method

☒ Fed Ex ☐ US Postal ☐ Lab ☐ Other :
☐ UPS ☐ Client ☐ Courier Thermometer ID:

Shipping container/cooler uncompromised?	<input checked="" type="radio"/> Yes	<input type="radio"/> No	
Number of coolers received	<input type="text" value="1"/>		
Custody seals intact on shipping container/cooler?	<input type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Not Required
Custody seals intact on sample bottles?	<input type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> Not Required
Chain of Custody (COC) present?	<input checked="" type="radio"/> Yes	<input type="radio"/> No	
COC agrees with sample label(s)?	<input checked="" type="radio"/> Yes	<input type="radio"/> No	
COC properly completed	<input checked="" type="radio"/> Yes	<input type="radio"/> No	
Samples in proper containers?	<input checked="" type="radio"/> Yes	<input type="radio"/> No	
Sample containers intact?	<input checked="" type="radio"/> Yes	<input type="radio"/> No	
Sufficient sample volume for indicated test(s)?	<input checked="" type="radio"/> Yes	<input type="radio"/> No	
All samples received within holding time?	<input checked="" type="radio"/> Yes	<input type="radio"/> No	
Cooler temperature in compliance?	<input checked="" type="radio"/> Yes	<input type="radio"/> No	
Cooler/Samples arrived at the laboratory on ice. Samples were considered acceptable as cooling process had begun.	<input type="radio"/> Yes	<input checked="" type="radio"/> No	
Water - Sample containers properly preserved	<input type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> N/A
Water - VOA vials free of headspace	<input type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> N/A
Trip Blanks received with VOAs	<input type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> N/A
Soil VOA method 5035 – compliance criteria met	<input type="radio"/> Yes	<input type="radio"/> No	<input checked="" type="radio"/> N/A
<input type="checkbox"/> High concentration container (48 hr)	<input type="checkbox"/> Low concentration EnCore samplers (48 hr)		
<input type="checkbox"/> High concentration pre-weighed (methanol -14 d)	<input type="checkbox"/> Low conc pre-weighed vials (Sod Bis -14 d)		
Special precautions or instructions included?	<input type="radio"/> Yes	<input checked="" type="radio"/> No	

Comments:

Signature:

Date & Time:



SAMPLE TRANSMITTAL FORM/CHAIN OF CUSTODY

7621 Whitepine Road Richmond VA 23237 Tel

A&L Eastern 1-800-451-1135

Account #
11035

Submitted By

Customer Infor

Denali Water Solutions

Denali

Denali Water
MBC18-233-0201
11035
08-21-2018
11:19:55

m

2

Franklin Ave STEA

Franklin Ave STEA

chrisamarks@comcast.net

Riverside CA 92507

Riverside CA 92507

jsaini@gmail.com

Project	
---------	--

Sample Information

Sample ID	Lab Number (Lab Use Only)	Collection Information			Container Information		Please Check Desired Tests											
		Type	Date	Time	Number of Bottles	Type	Volume	SL1	SL2	503 Metals	Nitrogen Series	pH	CCE	Ag	Cl	Volatile Solids	Test Package	
LS		<input checked="" type="checkbox"/> Grab <input type="checkbox"/> Composite	8/16/2018	1100	1	<input type="checkbox"/> Glass <input checked="" type="checkbox"/> Plastic	oz pint qt											SLSOSO
MBC	U255	<input checked="" type="checkbox"/> Grab <input type="checkbox"/> Composite	8/16/2018	1200	1	<input type="checkbox"/> Glass <input checked="" type="checkbox"/> Plastic	oz pint qt											SLSOSO
SLR		<input checked="" type="checkbox"/> Grab <input type="checkbox"/> Composite	8/16/2018	1130	1	<input type="checkbox"/> Glass <input checked="" type="checkbox"/> Plastic	oz pint qt											SLSOSO

Relinquished By: (Signature)

Date

Time

Received By: (Signature)

Date

Time

Joel Santos (signature)

8/16/2018

1200

Fede

8/20/18

KS

Test Package Details

SL1: Total Solids (Moisture) Total Kjeldahl Nitrogen, Phosphorus and Potassium

SL2: Basic Test SL1 plus Sulfur, Calcium, Magnesium, Sodium, Iron, Aluminum, Manganese, Copper And Zinc
503 Metals: Arsenic, Cadmium, Chromium, Mercury, Molybdenum, Lead, Nickel, Selenium,
(Copper & Zinc included in SL2)

Nitrogen Series: Total Kjeldahl, Ammonium, Nitrate & Organic Nitrogen.

CCE: Calcium Carbonate Equivalent or Total neutralization Value (For Lime Treated Sludge)

Special Instructions or Remarks

Rec. via email 8/21/18
No dice